

THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

RAW MATERIAL SPECIFICATION

Title: White Vaseline [White Soft Paraffin BP]

Spec. No : SP-AK30-V001

(Item No. 41034000)

Reference(s): BP 2016 p.II-506 (White Soft Paraffin)

Rev. No : 03

Other Requirements: GPO Specification

Page : 1/2

BP 2016

Description

: White or almost white, translucent, soft unctuous mass, slightly

fluorescent in daylight when melted; odourless.

Solubility

: Practically insoluble in water; slightly soluble in methylene

chloride; practically insoluble in ethanol (96%) and in glycerol.

Appearance

: The substance is white. The melted mass is not more intensely

coloured than a mixture of 1 volume of yellow primary solution

and 9 volumes of a 10 g/L solution of hydrochloric acid.

Acidity or alkalinity

: Not more than 0.5 ml of 0.01 M sodium hydroxide is required to

change the colour of the indicator to red.

Consistency

: 60 to 300.

Polycyclic aromatic

: At no wavelength in the range 260 nm to 420 nm does the

hydrocarbons

hydrocarbons absorbance of the test solution exceed that of the

reference solution at 278 nm.

Sulfated ash

: Maximum 0.05%.

GPO Specification

Drop point

: 48°C to 56°C.

Identification

: A. Drop point : between 48°C and 56°C

B. Infrared absorption spectrophotometry

C. Appearance

Prepared by:

Reviewed by:

Approved by:

Eff. Date

The Dependency 20103/16 Prepared by:

Head of Raw Material Director of Raw Material Director of Regulatory Compliance Director of Quality Assurance

Standard Section 2 Standard Division and Documentation Division Department



THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

RAW MATERIAL SPECIFICATION

Title: White Vaseline [White Soft Paraffin BP]

Spec. No

: SP-AK30-V001

(Item No. 41034000)

Reference(s): BP 2016 p.II-506 (White Soft Paraffin)

Rev. No

: 03

Other Requirements: GPO Specification

Page

: 2/2

Product Information

Approved source (s)	Refer to current version of Approved Vendor List of White Vaseline [White Soft Paraffin BP		
	(Item No. 41034000).		
Sampling plan	\sqrt{N} + 1 plan		
Testing procedure	Tests to be performed as per current version of WI-AK30-V001.		
Storage condition	Store at a condition stated on the label from the manufacturer. Protected from light. The label states the nominal drop point.		
Retest period	2 years after first testing date.		

History of changes

Rev. No.	Description	Reviewed by	Effective Date
02	ทบทวนเอกสารให้ทันสมัย	ผอก. มาตรฐานวัตถุคิบ	25/01/12
	(อ้างอิงตาม BP 2011 และ GPO Specification)		
03	ทบทวนเอกสารให้ทันสมัย	ผอก. มาตรฐานวัตถุคิบ	21/04/16
	(อ้างอิงตาม BP 2016 และ GPO Specification)		

Prepared by :	Reviewed by :		Approved by:	Eff. Date
J. Noppodech 21/03/12	Walaga, 21/03/	11. 1 county, 23/3/16	A. yother ,23/03/16	21/04/16
Head of Raw Material	Director of Raw Material	Director of Regulatory Compliance	Director of Quality Assurance	
Standard Section 2	Standard Division	and Documentation Division	Department	