

## THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

#### RAW MATERIAL SPECIFICATION

Title: Xanthan Gum USP/NF

(Item No. 41024410)

Spec. No : SP-AK30-X1

**Reference(s)**: USP34/NF29 p.1711-1712

Rev. No

: 02

Other Requirements: GPO Specification

Page

: 1/2

**USP34/NF29** 

Description

: Cream-colored powder.

Solubility

: Soluble in hot or cold water.

Identification

Loss on drying

: Conforms.

Viscosity

: The viscosity at 24°C is not less than 600 centipoises. : Dry it at 105°C for 2.5 hours : it losses not more than

15.0% of its weight.

Ash

Between 6.5% and 16.0% calculated on the dried basis.

Arsenic

: Maximum 3 µg per g.

Lead

: Maximum 5 µg per g.

Heavy metals < Method II>

: Maximum 0.003%.

Limit of isopropyl alcohol

: Maximum 0.075%.

Pyruvic acid

: Not less than 1.5% of pyruvic acid.

Assay

: 91.0% to 108.0% of Xanthan Gum, calculated on the

dried basis.

and Tests for specified

Microbial enumeration tests: It meets the requirement of the tests for Salmonella

species and Escherichia coli.

**GPO Specification** 

Particle size

Microorganisms

: Pass through sieve no.80 is not less than 90% by weight.

เอกสารไม่ควบคุม ใช้ในการกัดซื้อ

Prepared by:

J. Noppadech / 20/06/17 Head of Raw Material Standard Section 2

Reviewed by:

Standard Division

mul , 20/06/07. Director of Raw Material

Director of Regulatory Compliance and Documentation Division

Approved by:

M. Tangelinishly 22/06/2011 Director of Quality

Assurance Department

Eff. Date

29/06/11



# THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

### RAW MATERIAL SPECIFICATION

Title: Xanthan Gum USP/NF

(Item No. 41024410)

Spec. No : SP-AK30-X1

Reference(s): USP34/NF29 p.1711-1712

Rev. No

: 02

Other Requirements: GPO Specification

Page

: 2/2

### **Product Information**

Approved source (s)	Refer to current version of Approved Vendor List of Xanthan Gum (Item No. 41024410).
Sampling plan	$\sqrt{N+1}$ plan.
Testing procedure	Tests to be performed as per current version of WI-AK30-X1.
Storage condition	To be stored in an airtight container.
Retest period	2 years after first testing date.

เอกสารไม่ควบกุม ให้ในการจัดซื้อ

Eff. Date Approved by: Reviewed by: Prepared by: n. Tangol nisuk, 22 /cb/2011
Director of Quality , 20/02hg 29/06/11 I. Noppadech / 20/06/17 Director of Raw Material Director of Regulatory Compliance Head of Raw Material and Documentation Division Assurance Department Standard Section 2 Standard Division