

THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

RAW MATERIAL SPECIFICATION

Title: Povidone-Iodine USP

Spec. No.

: SP-AK30-P50

(Item No. 41023140)

Reference(s): USP 41 page 3392

Rev. No.

: 05

Other Requirements: -

Page

: 1/2

USP 41

Description

Yellowish-brown to reddish-brown, amorphous powder, having a slight,

characteristic odor.

Solubility

Soluble in water and in alcohol; practically insoluble in chloroform, in

carbon tetrachloride, in ether, in solvent hexane, and in acetone.

Identification

A deep blue color is produced.

A brown, dry, non-smearing film is formed, and it dissolves readily

in water.

Assay [available iodine]

9.0% to 12.0% of available iodine (I), calculated on the dried basis.

Iodide ion

Not more than 6.6%, calculated on the dried basis.

Nitrogen determination

9.5% to 11.5% of Nitrogen (N) is found, calculated on the dried basis.

Residue on ignition

Not more than 0.025%.

Loss on drying

Not more than 8.0%.

Eff. Date Prepared by: Reviewed by: Approved by: Turnez. Limboralt 21/03/19 J. Noppadech / 27/03/12 15/05/19 Head of Raw Material Director of Raw Material Director of Regulatory Compliance Director of Quality Assurance Standard Section 2 Standard Division and Documentation Division Department (/tchyq



THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

RAW MATERIAL SPECIFICATION

Title: Povidone-Iodine USP

Spec. No.

: SP-AK30-P50

(Item No. 41023140)

Reference(s): USP 41 page 3392

Rev. No.

: 05

Other Requirements: -

Page

: 2/2

Product Information

Approved source(s)	Refer to current version of Approved Supplier List of Povidone-Iodine USP (Item No. 41023140).			
Sampling plan	For Identification : 100%.			
	For Other Tests : n plan.			
Testing procedure	Tests to be performed as per current version of WI-AK30-P50.			
Storage condition	Store at a condition stated on the label from the manufacturer. Preserve in tight containers.			
Retest period	1 year after first testing date.			

History of changes

Rev. No.	Description	Effective Date
02	Update ข้อกำหนดตาม USP 31 และ GPO Specification	29/07/08
03	Update ข้อกำหนดตาม USP 34 และ GPO Specification	19/03/12
	(GPO Specification มี 3 หัวข้อทคสอบ คือ 1.pH 2.K-value 3.Stability test)	
04	Update ข้อกำหนดตาม USP 35 เท่านั้น (ไม่มีหัวข้อทดสอบตาม GPO Specification)	05/10/17
05	Update ข้อกำหนดตาม USP 41	15/05/19

Prepared by :	Reviewed by :		Approved by :	Eff. Date
	tarma		Vichian	
J. Rioppodech / 21/03/1	Lenlevint , 21/03/19	A 122/03/19	Rungunger , 25/03/19	15/05/19
Head of Raw Material	Director of Raw Material	Director of Regulatory Compliance	Director of Quality Assurance	
Standard Section 2	Standard Division	and Documentation Division	Department (Aching)	