

THE GOVERNMENT PHARMACEUTICAL ORGANIZATION


RAW MATERIAL SPECIFICATION

Title: Fluoxetine Hydrochloride USP (Item No. 41031975)	Spec. No. : SP-AK30-F23
Reference(s): USP 41 page 1809 - 1810	Rev. No. : 03
Other Requirements: GPO Specification	Page : 1/3

USP 41

Test Parameters	Requirement
Description	White to off-white, crystalline powder.
Solubility	Freely soluble in alcohol and in methanol; sparingly soluble in water and in dichloromethane; practically insoluble in ether.
Identification	A. Infrared absorption.
	B. It responds to the tests for Chloride.
Organic impurities	Aminomethyl-1-phenylpropanol : Not more than 0.25%.
	Fluoxetine related compound B : Not more than 0.25%.
	Fluoxetine related compound A : Not more than 0.15%.
	4-Trifluoromethylphenol : Not more than 0.1%.
	Any individual unspecified impurity : Not more than 0.1%.
	Total impurities : Not more than 0.5%.
Water	Not more than 0.5%.
Assay	98.0% - 102.0% of Fluoxetine hydrochloride ($C_{17}H_{18}F_3NO \cdot HCl$), calculated on the anhydrous basis.

เอกสารไม่ควบคุม
 ใช้ในการจัดซื้อ

Prepared by: J. Ropadech / 29/01/20 Head of Raw Material Standard Section 2	Reviewed by: <div style="display: flex; justify-content: space-between;"> <div> Tannai L. Ropadech / 29/01/20 Director of Raw Material Standard Division </div> <div>  , 30/01/20 Director of Drug Registration and Pharmacovigilance Division </div> </div>	Approved by: <div style="display: flex; justify-content: space-between;"> <div> Vichien Ruengroj / 30/01/20 Director of Quality Assurance Department Acting </div> <div> 15/03/20 </div> </div>
---	---	--



COPY No. 2

THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

RAW MATERIAL SPECIFICATION

Title: Fluoxetine Hydrochloride USP

(Item No. 41031975)

Spec. No. : SP-AK30-F23

Reference(s): USP 41 page 1809 - 1810

Rev. No. : 03

Other Requirements: GPO Specification

Page : 2/3

GPO Specification

Test Parameters	Requirement
Heavy metals	Not more than 30 ppm.
Tapping volume	5.0-g portion occupies not more than 14.0 mL when tapped down mechanically for 20 drops at 3-mm height and nominal rate of 250 drops/min.
Fineness [Pass through sieve number 30]	For information.
Tapped density	For information.

เอกสารไม่ควบคุม

ใช้ในการจัดซื้อ

Prepared by: J. Roppadech, 29/01/20 Head of Raw Material Standard Section 2	Reviewed by: Turna, 29/01/20 Director of Raw Material Standard Division	Approved by: Vichin Rungnongroj, 30/01/20 Director of Quality Assurance Department (Acting) Director of Drug Registration and Pharmacovigilance Division	Eff. Date 15/03/20
--	--	---	-----------------------



COPY No. 2

THE GOVERNMENT PHARMACEUTICAL ORGANIZATION

RAW MATERIAL SPECIFICATION

Title: Fluoxetine Hydrochloride USP (Item No. 41031975)	Spec. No. : SP-AK30-F23
Reference(s): USP 41 page 1809 - 1810	Rev. No. : 03
Other Requirements: GPO Specification	Page : 3/3

Product Information

Approved source(s)	Refer to current version of Approved Supplier List of Fluoxetine Hydrochloride USP (Item No. 41031975).
Sampling plan	For Identification : 100%. For Other Tests : n plan.
Testing procedure	Tests to be performed as per current version of WI-AK30-F23.
Storage condition	Store at a condition stated on the label from the manufacturer. Preserve in tight containers.
Retest period	1 year after first testing date.

History of changes

Rev. No.	Description	Effective Date
00	ประกาศใช้ครั้งแรก USP 27	25/06/04
01	Update ข้อกำหนดตาม USP 34	29/09/11
02	Update ข้อกำหนดตาม USP 37	10/05/15
03	Update ข้อกำหนดตาม USP 41 และ GPO Specification	15/03/20

เอกสารไม่ควบคุม
ใช้ในการจัดซื้อ

Prepared by: J. Koppadech / 29/01/20 Head of Raw Material Standard Section 2	Reviewed by: Tarnma Limnirum / 29/01/20 Director of Raw Material Standard Division	Approved by: Vichin Rungrongroj / 30/01/20 Director of Quality Assurance Department (Achieve)	Eff. Date 15/03/20
---	--	---	-----------------------