

BP 2016

๑๐๓๓-๑๐๓๔
 ๑๐๓๕-๑๐๓๖

Prepared by : <u>Sunannee Ahtah</u>	Reviewed by : J. Rappachach / 01/12/16 Director of Raw Material Standard Division	Vichien Rungwongroj / 13/12/16 Director of Regulatory Compliance and Documentation Division	Approved by : A. Y. L. A. / 15/12/16 Director of Quality Assurance Department	Eff. Date 20/01/17
--	--	--	--	-----------------------

RAW MATERIAL SPECIFICATION

Title : Sodium Benzoate BP (Item No. 41033340) (ใช้สำหรับยาฉีด)	Spec. No. : SP-AK30- S001
Reference(s) : BP 2016 p. II-836-II837	Rev. No. : 07
Other Requirements : -----	Page : 2/2

Product Information

Approved source (s)	Refer to current version of Approved Vendor List of Sodium Benzoate BP (Item No.41033340).
Sampling plan	P plan : for Identification. $\sqrt{N} + 1$: for other tests.
Testing procedure	Tests to be performed as per current version of WI-AK30-S001.
Storage condition	To be stored in well-closed containers.
Retest period	1 year after first testing date.

History of changes

Rev. No.	Description	Effective date
06	Update spec เป็น BP 2013	15/02/14
07	Update spec เป็น BP 2016 เนื่องจากเอกสารอายุครบ 3 ปี ต้องทบทวน โดยเนื้อหาของ BP 2013 และ BP 2016 เหมือนกัน	20/01/17

ไม่ควรใช้ความคุ้มครอง
 ในการจัดซื้อ

Prepared by : <i>Sunannee, 06/12/16</i> Head of Raw Material Standard Section 1	Reviewed by : <i>S. Ropodachachit, 07/12/16</i> Director of Raw Material Standard Division	<i>Vichim Ruengwongroj, 13/12/16</i> Director of Regulatory Compliance and Documentation Division	Approved by : <i>P. Y. Kant, 15/12/16</i> Director of Quality Assurance Department	Eff. Date 20/01/17
--	---	---	---	-----------------------